


BROCHURE

TURN TABLE

TECHNICAL SPECIFICATION

MODEL	SSS-30
Direction	Clockwise / Anti Clock wise as per requirement
RPM of Disk	4/5/6 through step pulley
Power Characteristics*	0.5 HP / 415 V / 50 z.
Height of Disk**	860 mm to 910 mm



SALIENT FEATURES :

- Construction AISI S.S. 304 quality.
- Three step pulley for different speed.
- Special self-aligning bearing ensure smooth and trouble free operation.
- S.S. Elegantly matt finished body.
- Reduction gears ensure jerk free and noiseless operation.
- Acrylic covers and AC Frequency drive options available.

The List Of Our Esteemed Customers Are As Under:-

- Cipla Ltd., Mumbai And Goa
- Basf India Ltd., Thane And Dadra
- Mediorials Lab.pvt.ltd., Satara
- Alkem Laboratories Ltd., Talaja And Daman
- Naxpar Laboratories Ltd., Silvassa
- Raptakos, Brett & Co. Ltd., Mumbai And Chennai
- Cheminova Remedies Pvt.ltd., Hyderabad
- Encore Healthcare Pvt.ltd., Aurangabad
- Sirmaxo Chemicals, Boisar
- Softech Pharma Pvt.ltd., Daman
- LI Takak Pharmaceuticals Ltd., Pune
- S.kant Healthcare Ltd., Vapi
- Symbiosis Co-op.pharmaceuticals Ltd., Sangli
- Sarvatham Care Ltd., Hyderabad
- Wockhard Ltd., Aurangabad
- FDC Ltd., Aurangabad
- Mistair Health & Hygiene Pvt.ltd., Kolhapur
- Bangalore Pharmaceutical & Res.lab.ltd., Bangalore
- Medreich Sterilab Ltd., Bangalore
- Okasa Ltd., Goa.
- Pidilite Industries Ltd., Mumbai, Bangladesh, Egypt Etc.
- Shelys Pharmaceuticals Ltd., Tanzania
- Indoco Remedies Limited., Mumbai & Goa.
- Remidex Pharma Pvt.ltd., Bangalore.
- Bio Ethicals Pharma Limited, Hubli, Karnataka.
- Camlin Ltd., Jammu



"SWAMI SAMARTH SERVICES" founded by Mr.YOGESHKUMAR ARORA is a company Offering a "Complete Solutions in Liquid Packaging Equipments, Labelling Equipments for Packaging Industry. The company started its activity in the year 1992 by the name of "SWAMI SAMARTH SERVICES". Our Brand "SWAMI" has earned a remarkable position in the domestic and international market as well, because of our good quality, quick services and by offering a wide range of products to meet individual needs and requirement.

"SWAMI SAMARTH SERVICES" is a fast growing, well-recognized Indian company manufacturing LIQUID PACKAGING MACHINERIES AND ITS SPARES AND CHANGE PARTS AND ALSO UNDERTAKING SERVICING, REGULAR MAINTENANCE, BREAKDOWN MAINTENANCE, OVERHAULING OF LIQUID PACKAGING MACHINERIES. ALSO DOING INDUSTRIAL FABRICATION. A company founded on sound principles with accent on quality, customer delight and anticipating customer's needs and delivering them in tight deadlines. The company's domain extends from providing complete solutions in the areas of Liquid Packaging Industries.

As the company is treading the path of high-end technology it is mandatory to evolve at the speed of thought. "SWAMI SAMARTH SERVICES" invests generously in the marketing and providing optimum solutions for their customers and making every effort to fulfill their requirements. The company enjoys the top slot in the industry because of its established reputation for superior quality, maintenance free machines & innovative designs. Armed with the Exclusive Tie-ups with the best Companies in International market and with the aim & mission to serve our entire customer's every need by offering them quality products and world class services.

LIST OF PRODUCTS MANUFACTURING AT OUR PREMISES:-

- MONOBLOCK- FILLER AND SEALER (ROPP/SCREW CAPPING)
- R.O.P.P.CAP SEALING MACHINE/SCREW CAPPING MACHINE
- FULLY AUTOMATIC VOLUMETRIC LIQUID FILLING MACHINE
- FULLY AUTOMATIC CUP FEEDING MACHINE (MEASURING CUP)
- CHAIN PACK 12 HEAD VOLUMETRIC LIQUID FILLING MACHINE.
- ON LINE PLUGGING AND SCREW CAPPING MACHINE.
- SYRINGES IN S.S.316
- TURN TABLE
- PACKING BELT CONVEYOR
- SLAT CONVEYOR
- INSPECTION TABLE-3 TRACK
- SPARE PARTS OF ANY TYPE OF LIQUID PACKAGING MACHINERIES
- CHANGE PARTS OF ANY TYPE OF LIQUID PACKAGING MACHINES.

SWAMI SAMARTH SERVICES

156/18-19, Indira Nagar No.III, Nahur Road,
Mulund (West), MUMBAI-400 080
Tel.: +91-22-25902852, Telefax : +91-22-25957500
Email : arorayk@yahoo.com



Swami Samarth Services



SWAMI SAMARTH SERVICES

156/18-19, Indira Nagar No.III, Nahur Road,
Mulund (West), MUMBAI-400 080
Tel.: +91-22-25902852, Telefax : +91-22-25957500
Email : arorayk@yahoo.com

BROCHURE

AUTOMATIC MULTI HEAD SCREW CAPPING MACHINE

TECHNICAL SPECIFICATION

MODEL	SSS-100	SSS-150	SSS-200
Output/Hour*	3600 to 6000 Bottles	3600 to 9000 Bottles	4000 to 12000 Bottles
Direction of Movement	Left to Right		
Number of Capping Heads	4 Nos.	6 Nos.	8 Nos.
Electrical	Main Motor 1.0 HP/415 Volts/50 Hz.		2 HP/415 Volts/50 Hz.
Specifications**	Cap Feeding Bowl 300 to 500 Watts		
Height of Conveyor	860 mm to 910 mm		



SALIENT FEATURES :

- No container no cap arrangement.
- Single motor synchronizes conveyor, star wheel & platform turret.
- Adjustable height of conveyor belt to align with other machines of the line.
- All contact parts are made out of stainless steel.
- Pick & Place arrangement.
- Specially designed heads for adequate torque.
- Low noise level, low power consumption.
- S.S. Cladding or hard chrome plating of all exposed parts to ensure long life and resistance against corrosion.
- Setting of In-feed worm.

ROTARY PISTON FILLING & SEALING MACHINE (Monoblock)

TECHNICAL SPECIFICATION

MODEL	SSS-6/6	SSS-8/8	SSS-12/8	SSS-16/8
Output/Hour*	2500 to 7500	4000 to 10000	6500 to 12000	7000 to 14500
No. of Filling Heads/Syringes	6	8	12	16
No. of Sealing Heads	6	8	8	8
Direction of Movement**	Left to Right			
Fill Size***	30 ml. To 200 ml.			
Electrical**	Main Machine 2 HP / 415V / 50Hz.		5 HP / 415V / 50Hz.	
Specifications	Oriental Bowl 0.25 HP / 415V / 50 Hz.		0.5 HP / 415V / 50 Hz.	
	Conveyor 0.5 HP / 415V / 50 Hz.			
Height of Conveyor**	910 mm to 960 Adjustable			

Combination of Filling & Plastic screw Capping is also available.


SALIENT FEATURES :

- "GMP" Model based on advanced technology.
- Single operator for two operations.
- No contamination as immediate sealing of filled bottles.
- Accurate \pm 1% due to piston dosing principle.
- Centralized volume adjustment system.
- No bottle no fill for individual head, hence no spillages.
- Placing of Cap Feeder outside Monoblock-avoid entering of dust in it.
- Additional sensors for minimum and maximum level of cap in chute which automatically start and stop rotary cap feeder to avoid damage of caps during rotation and wastage of energy.
- Electronic liquid level controller and pneumatically control valve.

AUTOMATIC VOLUMETRIC LIQUID FILLING MACHINE

TECHNICAL SPECIFICATION

MODEL	SSS-100	SSS-150	SSS-200
Output/Hour*	2400 to 6000*	3600 to 9000*	5000 to 12000*
Direction of Movement	Left to Right		
Number of Heads/ Syringes	4 Nos.	6 Nos.	8 Nos.
Fill Size**	5 ml to 1000 ml		
Electrical**	Main Motor 1 HP / 415 Volts/50 Hz.		1.5 HP / 415 Volts / 50 Hz.
Specifications	Conveyor 0.5 HP / 415 Volts / 50 Hz.		
Height of Conveyor**	860 mm to 910 mm adjustable		



SALIENT FEATURES :

- (+/-) 1% Filling accuracy on single dose.
- No Bottle No Filling system.
- Pneumatic bottle stopping arrangement
- Synchronized two nos. A/c drive for main motor & conveyor belt.


ONLINE DOME TYPE VISUAL INSPECTION MACHINE

TECHNICAL SPECIFICATION

MODEL	SSS-100	SSS-150
Direction of movement**	Left to Right	
Output*	Up to 100 Containers/Minute	Up to 150 Containers/minute
Number of Operator	One (1x1, One Side Sealed)	Two (1x2, Two Side Sealed)
Dome Diameter	250 mm (1 Nos.)	250 mm (2 Nos.)
Power Characteristics**	0.5 HP / 220 V / 50 Hz.	
Height of Conveyor**	860 mm to 910 mm	

SALIENT FEATURES :

- Construction AISI S.S. 304 Quality.
- Special self-aligning bearings ensure smooth and trouble free operation.
- Suitable for different type of container.
- S.S. Elegantly matt finished body.
- Reduction gears ensure jerk and noiseless operation.



PACKING CONVEYOR BELT

TECHNICAL SPECIFICATION

MODEL	SSS-100
Direction of movement**	Left to Right
Speed**	7.5 Mtr./Min upto 12 Feet Long 12 Mtr./Min from 13 Feet to 24 Feet Long
Power Characteristics**	0.25 HP / 220 V/50 Hz up to 12 Feet long 0.5 HP / 220 V/50 Hz up to 13 Feet to 24 Feet long
Height of Conveyor**	860 mm to 910 mm
Belt Width**	9" or 12 as per requirement.
Belt Details**	PVC, endless SSS 304 Top Side.



SALIENT FEATURES :

- Structure is made of S.S. 304, 30 mm sq. pipe, 16 SWG matt finish.
- A/c frequency variable drive.
- Belt-alignment system for long life & straight running of belt.
- S.S. Elegantly matt finishing.
- Adjustable height of Conveyor belt to align with other machines of the line.
- Self-alignment bearing for easy maintenance.
- Rigid vibration free construction for trouble free performance.

CATALOGUE

BLISTER MACHINE

SPARE PART

Infeed Motor
Vibrator Coil
Studs
Main Drive motors
Pre Heating Roller assembly
Indexing Ratchet Assly
Dimmer Set
Blister Stand Alone Chiller
Sensors
Heaters

CHANGE PART

Metallic Digits
Change parts Complete Set
Cutting tools
Forming Roller
Sealing Roller
Feed Channel



LAB FURNITURE & CUSTOMISED FABRICATED ITEMS IN SS

SS Chair
SS Table
Cross over bench
SS Step ladder
SOP Stand
Hand Sanitizer Holder

OTHER SPARE PARTS

Air Flow/Air Velocity/Air Changes measurement
Differential Pressure Test
HEPA Filter Integrity Test
Viable & Non-Viable Particle Count
Recovery Test
Sound Level Measurement Test
Temperature & Humidity Measurement (Mapping)
Compressed Air (Purity Test)
Air Flow Pattern Test
Callibration Of Pressure Gauges, Vaccum Gauges,
Compound Gauges, Transmitters, Transducers
switches
Light Intensity or Lux Level Measurement Test
Containment Leak Test
Calibration of thermal and Mechanical Parameters

AIR FILTER FOR COMMERCIAL, INDUSTRIAL & CLEAN ROOMS

Pre-filter, Fine Filter, Combination Filter, HEPA Filter, High Temperature Hepa Filter, Minipleat filter, Cylindrical Filter, Filter Module & Grills, Dust Collector, Bag Filter



**SPECIALISED IN
LIQUID MACHINES**

**ALSO SUPPLIES CHANGE
PARTS & SPARE PARTS FOR
PHARMACEUTICAL MACHINE**

**PRODUCT
CATALOGUE**

CATALOGUE

LIQUID WASHING, FILLING & SEALING

SPARE PART

SS Slat Conveyor Chain
Lifter assembly for filling MA
Star Wheel SS Base Plate
Pneumatic Controls
Inspection Mirror

CHANGE PART

Filling Nozzle
U-Washer
Rotary Valve
Piston Set Assembly
Incoming Star Wheel
Center Star Wheel
Filling Star Wheel,
Sealing Star Wheel
Outlet Star Wheel
Incoming guide
Centre Guide
Outgoing Guide
Sealing Guide
Feed Worm




FBD / FBE

SPARE PART

Seal Inflatable Upper
Seal Inflatable Lower
Inlet Temperature Sensor
Outlet Temperature Sensor
Pneumatic Cylinder & Cylinder
Seal Kit
Air Velocity
Transmitter
Finger Bag Ring

CHANGE PART

Finger Bag
Sieve Dutch Weave S 316L
Castor Wheel For Bowl



COMPRESSION MACHINE

SPARE PART

Lower Cam Track
Upper Cam Track
Force Feeder Assembly
Feeder Housing Assembly
Strip at Feeder Plate
Powder Scrapper Assly
Turret Assembly
Weight Adjustment Assembly
Worm Wheel

CHANGE PART

Brake Plug
Compression Punch Tool
Anti Turning Spring Strip
Die Screw Assly
Bracket for Scraper
Take off Plate
Hymen Strip

